


38145 左主卧-衣柜-1(板件料单)

客户	雍景园14-1702	经销商	英城大拇指衣柜		客户电话						
下单日期	2023/8/14	交货日期	2024/8/15								
面板(门板)		收货地址	雍景园14-1702								
板件合计	299	发货地址	雍景园14-1702								
材料		颜色	苏香桐	厚度	9	块数	35	平方	21.3		
材料	多层板	颜色	漠迪白	厚度	18	块数	41	平方	15.47		
材料	多层板	颜色	苏香桐	厚度	18	块数	223	平方	57.46		
单元柜名称	模块	板件名称	长度	宽度	厚度	数量	颜色	封边工艺			
								前	后	左	右
 <p>2-主电脑台 (柜体尺寸:1404.5*719*2340, 板件数:23)</p>	顶封板 (尺寸:350*219*80,	顶封板	349	80	18	1	苏香桐	0	0	0	0
	高柜-外盖 (尺寸:350*219*1650, 板件数:9)	左侧板□	1650	219	18	1	苏香桐	1	0	0	0
		右侧板□	1650	219	18	1	苏香桐	1	0	0	0
		顶板□	314	218.5	18	1	苏香桐	1	0	0	0
		底板□	314	218.5	18	1	苏香桐	1	0	0	0
		踢脚板-横向	314	300	18	1	苏香桐	0	0	0	0
		薄背板	1326	326	9	1	苏香桐	0	0	0	0
		层板-三合一	314	188	18	3	苏香桐	1	0	0	0
	下柜2 (尺寸:1200*460*750, 板件数:13)	顶板□○	1201	500	18	1	苏香桐	1	0	1	1
		左侧板□	732	460	18	1	苏香桐	1	0	0	0
		右侧板	122	460	18	1	苏香桐	1	0	0	0
		中侧板□	732	459	18	1	苏香桐	1	0	0	0
		薄背板	738	758	9	1	苏香桐	0	0	0	0
		层板-三合一	746	429	18	1	苏香桐	1	0	0	0
		抽底	696	376	9	1	苏香桐	0	0	0	0
		左抽帮□	400	100	18	1	苏香桐	0	0	0	1
		后抽堵□	684	100	18	1	苏香桐	1	0	0	0
		右抽帮□	400	100	18	1	苏香桐	0	0	0	1
	前抽堵□	684	100	18	1	苏香桐	1	0	0	0	
	 <p>上柜 (尺寸:2230*530*600, 板件数:13)</p>	左侧板□	720	530	18	1	苏香桐	1	0	0	0
		右侧板□	600	530	18	1	苏香桐	1	0	0	0
		顶板□	2194	519.5	18	1	苏香桐	1	0	0	0
		底板□	2194	519.5	18	1	苏香桐	1	0	0	0
薄背板		2204	574	9	1	苏香桐	0	0	0	0	
中侧板		564	499	18	2	苏香桐	1	0	0	0	
门板(左开)		598	278	18	1	漠迪白	1	1	1	1	
右侧板□		2150	530	18	1	苏香桐	1	0	0	0	

下柜-外盖 (尺寸:1950*530*2150, 板件数:36)

高柜-外盖 (尺寸:520*260*2150, 板件数:10)

上柜 (尺寸:1470*530*600, 板件数:9)



顶板□	1914	529.5	18	1	苏香桐	1	0	0	0
底板□	1914	519.5	18	1	苏香桐	1	0	0	0
纵向踢脚板	80	481	18	2	苏香桐	0	0	0	0
前踢脚板	1914	80	18	1	苏香桐	0	0	0	0
中侧板■	2034	519	18	2	苏香桐	1	0	0	0
薄背板	2046	337.07	9	1	苏香桐	0	0	0	0
薄背板	2046	793.67	9	1	苏香桐	0	0	0	0
薄背板	2046	783.27	9	1	苏香桐	0	0	0	0
层板-三合一	325.07	499	18	1	苏香桐	1	0	0	0
层板-三合一	771.27	499	18	1	苏香桐	1	0	0	0
顶板□	781.67	400	18	1	苏香桐	1	0	0	0
左侧板	332	400	18	1	苏香桐	1	0	0	0
右侧板	332	400	18	1	苏香桐	1	0	0	0
背板-无孔	332	80	18	2	苏香桐	0	0	0	0
抽底	535.7	326	9	2	苏香桐	0	0	0	0
抽面	582.7	163	18	2	苏香桐	2	2	2	2
左抽帮□	350	106	18	2	苏香桐	0	0	0	1
后抽堵□	523.7	106	18	2	苏香桐	1	0	0	0
右抽帮□	350	106	18	2	苏香桐	0	0	0	1
前抽堵□	523.7	106	18	2	苏香桐	1	0	0	0
左侧板□	2150	260	18	1	苏香桐	1	0	0	0
顶板□	484	259.5	18	1	苏香桐	1	0	0	0
底板□	484	259.5	18	1	苏香桐	1	0	0	0
踢脚板-横向	484	80	18	1	苏香桐	0	0	0	0
薄背板	2046	496	9	1	苏香桐	0	0	0	0
层板-三合一	484	232	18	2	苏香桐	1	0	0	0
门板(左开)	458	500	18	1	苏香桐	1	1	1	1
门板(左开)	728	500	18	1	苏香桐	1	1	1	1
左侧板□	600	530	18	1	苏香桐	1	0	0	0
右侧板□	730	530	18	1	苏香桐	1	0	0	0
顶板□	1434	519.5	18	1	苏香桐	1	0	0	0
底板□	1434	519.5	18	1	苏香桐	1	0	0	0
薄背板	1444	574	9	1	苏香桐	0	0	0	0
中侧板	564	499	18	1	苏香桐	1	0	0	0
左侧板□	2150	530	18	1	苏香桐	1	0	0	0
右侧板□	2150	530	18	1	苏香桐	1	0	0	0
顶板□	964	529.5	18	1	苏香桐	1	0	0	0
底板□	964	529.5	18	1	苏香桐	1	0	0	0
纵向踢脚板	80	481	18	1	苏香桐	0	0	0	0
前踢脚板	964	80	18	1	苏香桐	0	0	0	0

下柜-外盖 (尺寸:1000*530*2150, 板件数:27)	薄背板	2046	976	9	1	苏香桐	0	0	0	0
	顶板□	964	400	18	1	苏香桐	1	0	0	0
	左侧板	332	400	18	1	苏香桐	1	0	0	0
	右侧板	332	400	18	1	苏香桐	1	0	0	0
	背板-无孔	332	80	18	2	苏香桐	0	0	0	0
	抽底	718	326	9	2	苏香桐	0	0	0	0
	抽面	765	163	18	2	苏香桐	2	2	2	2
	左抽帮□	350	106	18	2	苏香桐	0	0	0	1
	后抽堵□	706	106	18	2	苏香桐	1	0	0	0
	右抽帮□	350	106	18	2	苏香桐	0	0	0	1
	前抽堵□	706	106	18	2	苏香桐	1	0	0	0
	层板-三合一	964	499	18	1	苏香桐	1	0	0	0
上柜 (尺寸:470*530*1400, 板件数:7)	左侧板□	1400	530	18	1	苏香桐	1	0	0	0
	右侧板□	1400	530	18	1	苏香桐	1	0	0	0
	顶板□	434	529.5	18	1	苏香桐	1	0	0	0
	薄背板	1394	446	9	1	苏香桐	0	0	0	0
	层板-三合一	434	500	18	2	苏香桐	1	0	0	0
下柜8 (尺寸:1470*500*750, 板件数:24)	薄背板	741	470	9	1	苏香桐	0	0	0	0
	台面板□○	1491	500	18	1	苏香桐	1	0	1	0
	厚背板-四边孔-朝后	732	520	18	2	苏香桐	0	0	1	0
	底板	434	520	18	1	苏香桐	0	0	1	0
	左侧板	434	80	18	1	苏香桐	0	0	0	0
	左侧板□	732	500	18	1	苏香桐	1	0	0	0
	薄背板	737	948	9	1	苏香桐	0	0	0	0
	右侧板	178	470	18	1	苏香桐	1	0	1	0
	底板	905	450	18	1	苏香桐	1	0	0	0
	中侧板	160	450	18	1	苏香桐	1	0	0	0
	厚背板-四边孔-朝后	923	80	18	1	苏香桐	1	0	0	0
	抽底	393.5	376	9	2	苏香桐	0	0	0	0
	抽面	449.5	175	18	2	苏香桐	2	2	2	2
	左抽帮□	400	100	18	2	苏香桐	0	0	0	1
	后抽堵□	381.5	100	18	2	苏香桐	1	0	0	0
	右抽帮□	400	100	18	2	苏香桐	0	0	0	1
前抽堵□	381.5	100	18	2	苏香桐	1	0	0	0	
柜外背板 (尺寸:940.32*500*1)	柜外封板	970.32	100	18	1	苏香桐	1	0	1	0
	左侧板□	2140	530	18	1	苏香桐	1	0	0	0
	右侧板□	2140	530	18	1	苏香桐	1	0	0	0
	顶板□	1564	529.5	18	1	苏香桐	1	0	0	0




下柜-外盖 (尺寸: 1600*530*2140, 板件数: 35)

高柜-外盖 (尺寸: 401*200*1650, 板件数: 9)

上柜 (尺寸: 1450*410*600, 板件数: 10)

顶封板 (尺寸: 401*210*80,



6-右2电脑 (柜体尺

下柜2 (尺寸

底板□	1564	519.5	18	1	苏香桐	1	0	0	0
纵向踢脚板	80	481	18	1	苏香桐	0	0	0	0
前踢脚板	1564	80	18	1	苏香桐	0	0	0	0
中侧板■	2024	519	18	1	苏香桐	1	0	0	0
中侧板	2024	499	18	1	苏香桐	1	0	0	0
薄背板	2036	785	9	2	苏香桐	0	0	0	0
层板-三合一	773	499	18	1	苏香桐	1	0	0	0
层板-三合一	377.5	499	18	2	苏香桐	1	0	0	0
顶板□	773	400	18	1	苏香桐	1	0	0	0
左侧板	332	400	18	1	苏香桐	1	0	0	0
右侧板	332	400	18	1	苏香桐	1	0	0	0
背板-无孔	332	80	18	2	苏香桐	0	0	0	0
抽底	527	326	9	2	苏香桐	0	0	0	0
抽面	574	163	18	2	苏香桐	2	2	2	2
左抽帮□	350	106	18	2	苏香桐	0	0	0	1
后抽堵□	515	106	18	2	苏香桐	1	0	0	0
右抽帮□	350	106	18	2	苏香桐	0	0	0	1
前抽堵□	515	106	18	2	苏香桐	1	0	0	0
左侧板□	1650	200	18	1	苏香桐	1	0	0	0
右侧板□	1650	200	18	1	苏香桐	1	0	0	0
顶板□	365	199.5	18	1	苏香桐	1	0	0	0
底板□	365	199.5	18	1	苏香桐	1	0	0	0
踢脚板-横向	365	200	18	1	苏香桐	0	0	0	0
薄背板	1426	377	9	1	苏香桐	0	0	0	0
层板-三合一	365	169	18	3	苏香桐	1	0	0	0
左侧板□	730	530	18	1	苏香桐	1	0	0	0
右侧板□	600	410	18	1	苏香桐	1	0	0	0
顶板□	1414	399.5	18	1	苏香桐	1	0	0	0
底板□	1414	399.5	18	1	苏香桐	1	0	0	0
薄背板	1424	574	9	1	苏香桐	0	0	0	0
中侧板	564	379	18	1	苏香桐	1	0	0	0
右侧封板	80	210	18	1	苏香桐	1	0	0	0
顶封板	382	80	18	1	苏香桐	0	0	0	0
顶板	2350.5	600	18	1	苏香桐	1	1	1	1
左侧板□	782	560	18	1	苏香桐	1	1	0	0
右侧板□	782	560	18	1	苏香桐	1	1	0	0
层板-三合一□	2264	559	18	1	苏香桐	1	1	0	0
薄背板	620	2276	9	1	苏香桐	0	0	0	0
厚背板	150	2264	18	1	苏香桐	0	0	0	0

寸 :2350.5*600*800, 板件数:33)	寸 :2300*560*800, 板件数:33)	中侧板	150	541	18	3	苏香桐	1	0	0	0
		抽底	502.5	476	9	4	苏香桐	0	0	0	0
		抽面	576.5	175	18	1	漠迪白	2	2	2	2
		左抽帮□	500	90	18	4	苏香桐	0	0	0	1
		后抽堵□	490.5	90	18	4	苏香桐	1	0	0	0
		右抽帮□	500	90	18	4	苏香桐	0	0	0	1
		前抽堵□	490.5	90	18	4	苏香桐	1	0	0	0
 7-右2窗台柜 (柜体尺寸:330*200*1730, 板件数:10)	顶封板 (尺寸:300*179.5*80)	顶封板	299	80	18	1	苏香桐	0	0	0	0
	高柜-外盖 (尺寸:300*200*1650, 板件数:9)	左侧板□	1650	200	18	1	苏香桐	1	0	0	0
		右侧板□	1650	200	18	1	苏香桐	1	0	0	0
		顶板□	264	199.5	18	1	苏香桐	1	0	0	0
		底板□	264	199.5	18	1	苏香桐	1	0	0	0
		踢脚板-横向	264	200	18	1	苏香桐	0	0	0	0
		薄背板	1426	276	9	1	苏香桐	0	0	0	0
层板-三合一	264	169	18	3	苏香桐	1	0	0	0		
 1-电视柜 (柜体尺寸:2420*400*200, 板件数:46)	电视柜-离地 (尺寸:2420*400*200, 板件数:46)	台面○	2420	400	18	1	苏香桐	1	0	1	1
		左侧板	182	380	18	2	苏香桐	1	0	1	0
		右侧板	182	380	18	2	苏香桐	1	0	1	0
		顶板	2084	100	18	2	苏香桐	1	0	0	0
		底板	2084	380	18	1	苏香桐	1	0	0	0
		厚背板-四边孔-朝后	2024	146	18	1	苏香桐	0	0	0	0
		中侧板	146	362	18	3	苏香桐	1	0	0	0
		左圆弧踢脚板	182	507.08	18	1	苏香桐	1	0	1	0
		厚背板-四边孔-朝后	182	112	18	1	苏香桐	0	1	1	0
		顶板○	112	362	18	1	苏香桐	1	0	1	0
		底板○	112	362	18	1	苏香桐	1	0	1	0
		层板-三合一○	112	362	18	1	苏香桐	1	0	1	0
		右圆弧踢脚板	182	507.08	18	1	苏香桐	1	0	0	1
		厚背板-四边孔-朝后	182	112	18	1	苏香桐	0	1	0	1
		顶板○	112	362	18	1	苏香桐	1	0	0	1
		底板○	112	362	18	1	苏香桐	1	0	0	1
		层板-三合一○	112	362	18	1	苏香桐	1	0	0	1
		抽底	457.5	326	9	4	苏香桐	0	0	0	0
		左抽帮□	350	100	18	4	苏香桐	0	0	0	1
		后抽堵□	445.5	100	18	4	苏香桐	1	0	0	0
右抽帮□	350	100	18	4	苏香桐	0	0	0	1		
前抽堵□	445.5	100	18	4	苏香桐	1	0	0	0		

下单员		审核		制单日期	2023-08-15 14:49:11