

## 3871 客餐厅-衣柜-1(板件料单)

客户	雍景园11-903	经销商	英城大拇指衣柜	客户电话							
下单日期	2023/8/7	交货日期	2024/8/22								
面板(门板)		收货地址	雍景园11-903								
板件合计	654	发货地址	雍景园11-903								
材料		颜色	高级灰	厚度	9	块数	20	平方	15.02		
材料		颜色	珍珠布纹	厚度	9	块数	51	平方	35.94		
材料	多层板	颜色	GH603	厚度	18	块数	2	平方	0.2		
材料	多层板	颜色	白枫	厚度	18	块数	3	平方	0.81		
材料	多层板	颜色	肤感白	厚度	18	块数	56	平方	26.79		
材料	多层板	颜色	高级灰	厚度	18	块数	138	平方	30.16		
材料	多层板	颜色	漠迪白	厚度	18	块数	49	平方	14.84		
材料	多层板	颜色	珍珠布纹	厚度	18	块数	335	平方	107.97		
单元柜名称	模块	板件名称	长度	宽度	厚度	数量	颜色	封边工艺			
								前	后	左	右
	下柜1 (尺寸: 1850*530*23, 板件数: 30)	左侧板□	2320	530	18	1	珍珠布纹	1	0	0	0
		右侧板□	2320	530	18	1	珍珠布纹	1	0	0	0
		顶板□	1814	529.5	18	1	珍珠布纹	1	0	0	0
		底板□	1814	519.5	18	1	珍珠布纹	1	0	0	0
		中侧板■	2204	519.5	18	1	珍珠布纹	1	0	0	0
		薄背板	2214	908	9	2	珍珠布纹	0	0	0	0
		纵向踢脚板	80	481	18	2	珍珠布纹	0	0	0	0
		前踢脚板	1814	80	18	1	珍珠布纹	0	0	0	0
		层板-三合一	898	499	18	4	珍珠布纹	1	0	0	0
		抽底	848	426	9	2	珍珠布纹	0	0	0	0
		左抽帮□	450	100	18	2	珍珠布纹	0	0	0	1
		后抽堵□	836	100	18	2	珍珠布纹	1	0	0	0
		右抽帮□	450	100	18	2	珍珠布纹	0	0	0	1
		前抽堵□	836	100	18	2	珍珠布纹	1	0	0	0
	下柜1 (尺寸: 1130*560*21, 板件数: 15)	左侧板□	2110	560	18	1	珍珠布纹	1	0	0	0
		右侧板□	2110	560	18	1	珍珠布纹	1	0	0	0
		顶板□	1094	559.5	18	1	珍珠布纹	1	0	0	0
		底板□	1094	549.5	18	1	珍珠布纹	1	0	0	0
		纵向踢脚板	80	511	18	2	珍珠布纹	0	0	0	0
		前踢脚板	1094	80	18	1	珍珠布纹	0	0	0	0
		中侧板■	1994	549	18	1	珍珠布纹	1	0	0	0
		薄背板	2006	361.17	9	1	珍珠布纹	0	0	0	0
		薄背板	2006	738.83	9	1	珍珠布纹	0	0	0	0
		层板-三合一	349.17	529	18	1	珍珠布纹	1	0	0	0

	层板-三合一	726.83	529	18	1	珍珠布纹	1	0	0	0
下柜5 (尺寸: 1050*900*500, 板件数: 31)	切角圆弧a□ ○	1050	900	18	1	珍珠布纹	1	1	1	1
	中侧板	384	352	18	1	珍珠布纹	1	0	0	0
	左侧板□	482	400	18	1	珍珠布纹	1	0	0	0
	右侧板□	482	380	18	1	珍珠布纹	1	0	0	0
	右侧板	482	529.14	18	1	珍珠布纹	1	0	0	0
	底板□	984	380	18	1	珍珠布纹	1	0	0	0
	纵向踢脚板	80	351	18	1	珍珠布纹	0	0	0	0
	前踢脚板	984	80	18	1	珍珠布纹	0	0	0	0
	薄背板	994	394	9	1	珍珠布纹	0	0	0	0
	厚背板-四边孔-朝后	482	530	18	1	珍珠布纹	0	0	0	1
	层板-三合一	447	529.14	18	1	珍珠布纹	1	0	0	0
	层板-三合一	453	350	18	1	珍珠布纹	1	0	0	0
	踢脚板-横向	447	80	18	1	珍珠布纹	0	0	0	0
	免拉横板	447	79	18	1	珍珠布纹	1	1	0	0
	背板-无孔	447	42	18	1	珍珠布纹	0	0	0	0
	免拉横板	453	79	18	1	珍珠布纹	1	1	0	0
	背板-无孔	453	42	18	1	珍珠布纹	0	0	0	0
	抽底	403	276	9	2	珍珠布纹	0	0	0	0
	左抽帮□	300	94	18	2	珍珠布纹	0	0	0	1
	后抽堵□	391	94	18	2	珍珠布纹	1	0	0	0
右抽帮□	300	94	18	2	珍珠布纹	0	0	0	1	
前抽堵□	391	94	18	2	珍珠布纹	1	0	0	0	
上柜1 (尺寸: 2000*560*600, 板件数: 12)	左侧板□	600	560	18	1	珍珠布纹	1	0	0	0
	右侧板□	600	560	18	1	珍珠布纹	1	0	0	0
	顶板□	1964	549.5	18	1	珍珠布纹	1	0	0	0
	底板□	1964	549.5	18	1	珍珠布纹	1	0	0	0
	薄背板	1974	574	9	1	珍珠布纹	0	0	0	0
	中侧板	564	529	18	2	珍珠布纹	1	0	0	0
上柜 (尺寸: 870*560*1610, 板件数: 5)	左侧板□	1610	560	18	1	珍珠布纹	1	0	0	0
	右侧板□	1610	560	18	1	珍珠布纹	1	0	0	0
	顶板□	834	559.5	18	1	珍珠布纹	1	0	0	0
	薄背板	1604	846	9	1	珍珠布纹	0	0	0	0
	层板-三合一	834	529	18	1	珍珠布纹	1	0	0	0
顶封板 (尺寸: 1650*330*60)	顶封板	1649	60	18	1	高级灰	0	0	0	0
	左侧板□	1380	330	18	1	高级灰	1	0	0	0
上柜 (尺寸: 1650*330*60)	右侧板□	1380	330	18	1	高级灰	1	0	0	0
	顶板□	1614	329.5	18	1	高级灰	1	0	0	0



4-鞋柜 (柜体  
尺寸  
:2811\*350\*244  
5, 板件数:98)

上柜 (尺寸 :1650*330*1380, 板件数:13)	灯带层板 (灯槽在	1614	329	18	1	高级灰	1	0	0	0
	层板-三合一	798	298	18	2	高级灰	1	0	0	0
	薄背板	860.28	1626	9	1	高级灰	0	0	0	0
	薄背板	507.72	1626	9	1	高级灰	0	0	0	0
	竖向单切○	848.28	299	18	1	高级灰	1	0	0	0
柜5 (尺寸 :710*330*450, 板件数:17)	台面■	710	350	18	1	高级灰	1	0	1	1
	左侧板□	432	330	18	1	高级灰	1	0	0	0
	右侧板□	432	330	18	1	高级灰	1	0	0	0
	薄背板	437	684	9	1	高级灰	0	0	0	0
	中侧板	432	300	18	1	高级灰	1	0	0	0
	层板-三合一	328	300	18	2	高级灰	1	0	0	0
	层板-三合一	328	299	18	2	高级灰	1	0	0	0
	免拉横板	328	59	18	2	高级灰	1	1	0	0
	免拉傅助板	328	42	18	2	高级灰	0	0	0	0
上柜 (尺寸 :710*330*1930, 板件数:7)	左侧板□	1930	330	18	1	高级灰	1	0	0	0
	右侧板□	1930	330	18	1	高级灰	1	0	0	0
	顶板□	674	329.5	18	1	高级灰	1	0	0	0
	薄背板	1924	686	9	1	高级灰	0	0	0	0
	灯带层板 (灯槽在	674	299	18	1	高级灰	1	0	0	0
高柜-外盖 (尺寸 :400*330*2380, 板件数:11)	左侧板□	2380	330	18	1	高级灰	1	0	0	0
	右侧板□	2380	330	18	1	高级灰	1	0	0	0
	顶板□	364	329.5	18	1	高级灰	1	0	0	0
	底板□	364	319.5	18	1	高级灰	1	0	0	0
	薄背板	2276	376	9	1	高级灰	0	0	0	0
	层板-三合一	364	299	18	4	高级灰	1	0	0	0
下柜-外盖 (尺寸 :1650*330*1000, 板件数:46)	台面■	1650.5	350	18	1	高级灰	1	0	1	1
	左侧板□	982	329.5	18	1	高级灰	1	0	0	0
	右侧板□	982	329.5	18	1	高级灰	1	0	0	0
	薄背板	1624	987	9	1	高级灰	0	0	0	0
	中侧板○	982	299	18	1	高级灰	1	0	1	0
	中侧板	160	299	18	2	高级灰	1	0	0	0
	灯带层板 (灯槽在	798	299	18	2	高级灰	1	0	0	0
	层板-三合一	798	299	18	2	高级灰	1	0	0	0
	层板-三合一	798	298	18	3	高级灰	1	0	0	0
	免拉横板	798	79	18	2	高级灰	1	1	0	0
	背板-无孔	798	42	18	2	高级灰	0	0	0	0
	抽底	340	226	9	4	高级灰	0	0	0	0
	左抽帮□	250	120	18	4	高级灰	0	0	0	1
	后抽堵□	328	120	18	4	高级灰	1	0	0	0

		右抽帮□	250	120	18	4	高级灰	0	0	0	1
		前抽堵□	328	120	18	4	高级灰	1	0	0	0
	顶封板 (尺寸:1110*330*60)	顶封板	1109	60	18	1	高级灰	0	0	0	0
	内嵌高柜 (尺寸:500*330*2150, 板件数:11)	左侧板□	2150	330	18	1	高级灰	1	0	0	0
		右侧板□	2150	330	18	1	高级灰	1	0	0	0
		顶板□	464	329.5	18	1	高级灰	1	0	0	0
		底板□	464	320	18	1	高级灰	1	0	0	0
		薄背板	2046	476	9	1	高级灰	0	0	0	0
		层板-三合一	464	299	18	4	高级灰	1	0	0	0
上柜 (尺寸:500*330*360, 板件数:6)	左侧板□	360	330	18	1	高级灰	1	0	0	0	
	右侧板□	360	330	18	1	高级灰	1	0	0	0	
	顶板□	464	319.5	18	1	高级灰	1	0	0	0	
	底板□	464	319.5	18	1	高级灰	1	0	0	0	
	薄背板	474	334	9	1	高级灰	0	0	0	0	
上柜 (尺寸:480*330*360, 板件数:5)	左侧板□	360	330	18	1	高级灰	1	0	0	0	
	右侧板□	360	330	18	1	高级灰	1	0	0	0	
	底板□	444	319.5	18	1	高级灰	1	0	0	0	
	薄背板	454	352	9	1	高级灰	0	0	0	0	
	灯带层板 (灯槽在	444	299	18	1	高级灰	1	0	0	0	
顶封板 (尺寸:2330*330*60)	顶封板	2330	60	18	1	高级灰	0	1	1	1	
顶封板 (尺寸:480*330*60,	顶封板	480	60	18	1	高级灰	0	1	1	1	
内嵌高柜 (尺寸:480*330*2150, 板件数:10)	左侧板□	2150	330	18	1	高级灰	1	0	0	0	
	右侧板□	2150	330	18	1	高级灰	1	0	0	0	
	底板□	444	320	18	1	高级灰	1	0	0	0	
	薄背板	2055	456	9	1	高级灰	0	0	0	0	
	灯带层板 (灯槽在	444	299	18	5	高级灰	1	0	0	0	
顶封板 (尺寸:501.5*330*6	顶封板	501.5	60	18	1	高级灰	0	1	1	1	
5-酒柜 (柜体尺寸:3328*350.1*2570, 板件数:98)	上柜 (尺寸:2330*330*1510, 板件数:15)	左侧板□	1510	330	18	1	高级灰	1	0	0	0
		右侧板□	1510	330	18	1	高级灰	1	0	0	0
		顶板□	2294	329.5	18	1	高级灰	1	0	0	0
		灯带层板 (灯槽在	2294	329	18	1	高级灰	1	0	0	0
		层板-三合一	468.83	299	18	1	高级灰	1	0	0	0
		层板-三合一	879.83	299	18	2	高级灰	1	0	0	0
		灯带层板 (灯槽在	909.33	299	18	1	高级灰	1	0	0	0

		薄背板	986	2306	9	1	高级灰	0	0	0	0	
		薄背板	512	2306	9	1	高级灰	0	0	0	0	
		竖向单切○	974	300	18	1	高级灰	1	0	0	0	
		中侧板	974	300	18	1	高级灰	1	0	0	0	
	左5 (尺寸:2330*330*1000, 板件数:46)	台面■	2330	350	18	1	高级灰	1	0	1	1	
		左侧板□	982	330	18	1	高级灰	1	0	0	0	
		右侧板□	982	330	18	1	高级灰	1	0	0	0	
		底板□	2294	320	18	1	高级灰	1	0	0	0	
		纵向踢脚板	80	261	18	2	高级灰	0	0	0	0	
		薄背板	2304	894	9	1	高级灰	0	0	0	0	
		中侧板	884	300	18	2	高级灰	1	0	0	0	
		免拉横板	450.93	59	18	1	高级灰	1	1	0	0	
		免拉傅助板	450.93	42	18	1	高级灰	0	0	0	0	
		免拉横板	897.97	59	18	1	高级灰	1	1	0	0	
		免拉傅助板	897.97	42	18	1	高级灰	0	0	0	0	
		免拉横板	909.1	59	18	1	高级灰	1	1	0	0	
		免拉傅助板	909.1	42	18	1	高级灰	0	0	0	0	
		层板-三合一	450.93	279	18	1	高级灰	1	0	0	0	
		层板-三合一	909.1	279	18	2	高级灰	1	0	0	0	
		层板-三合一	897.97	300	18	2	高级灰	1	0	0	0	
		免拉横板	897.97	79	18	2	高级灰	1	1	0	0	
		背板-无孔	897.97	42	18	2	高级灰	0	0	0	0	
		抽底	847.97	226	9	3	高级灰	0	0	0	0	
		左抽帮□	250	162	18	1	高级灰	0	0	0	1	
		后抽堵□	835.97	162	18	1	高级灰	1	0	0	0	
		右抽帮□	250	162	18	1	高级灰	0	0	0	1	
		前抽堵□	835.97	162	18	1	高级灰	1	0	0	0	
		左抽帮□	250	163	18	2	高级灰	0	0	0	1	
		后抽堵□	835.97	163	18	2	高级灰	1	0	0	0	
		右抽帮□	250	163	18	2	高级灰	0	0	0	1	
		前抽堵□	835.97	163	18	2	高级灰	1	0	0	0	
		顶线1 (尺寸:540*550*100)	顶封板	540	100	18	1	珍珠布纹	0	0	0	0
			左侧封板□	100	549	18	1	珍珠布纹	1	0	0	0
		左L型转角柜 (尺寸:930*880*2300, 板件数:8)	前封板	2300	550	18	1	珍珠布纹	1	1	1	1
	左侧板		2300	862	18	1	珍珠布纹	1	0	0	0	
	右侧板		2300	550	18	1	珍珠布纹	1	0	0	0	
	厚背板-四边孔-朝后		2300	894	18	1	珍珠布纹	0	0	0	0	
	顶板○		894	844	18	1	珍珠布纹	1	0	0	0	
底板○	894	844	18	1	珍珠布纹	1	0	0	0			

6-左2衣帽间 (柜体尺寸:1750*1420*2400, 板件数:28)		层板-三合一 ○	894	844	18	2	珍珠布纹	1	0	0	0
	顶线1 (尺寸:820*550*100)	顶封板	820	100	18	1	珍珠布纹	0	0	0	0
	下柜2 (尺寸:540*550*2300, 板件数:9)	左侧板□	2300	550	18	1	珍珠布纹	1	0	0	0
		右侧板□	2300	550	18	1	珍珠布纹	1	0	0	0
		底板□	504	539.5	18	1	珍珠布纹	1	0	0	0
		前踢脚板	504	80	18	1	珍珠布纹	0	0	0	0
		薄背板	2212	514	9	1	珍珠布纹	0	0	0	0
		灯带层板 (灯槽在	504	519	18	4	珍珠布纹	1	0	0	0
	下柜1 (尺寸:820*550*2300, 板件数:8)	左侧板□	2300	550	18	1	珍珠布纹	1	0	0	0
		右侧板□	2300	550	18	1	珍珠布纹	1	0	0	0
		顶板□	784	549.5	18	1	珍珠布纹	1	0	0	0
		底板□	784	539.5	18	1	珍珠布纹	1	0	0	0
		薄背板	2194	794	9	1	珍珠布纹	0	0	0	0
		前踢脚板	784	80	18	1	珍珠布纹	0	0	0	0
灯带层板 (灯槽在		784	519	18	1	珍珠布纹	1	0	0	0	
层板-三合一		784	519	18	1	珍珠布纹	1	0	0	0	
7-左2窗台柜 (柜体尺寸:370*180*1740, 板件数:11)	内嵌高柜 (尺寸:340*180*1660, 板件数:10)	左侧板□	1660	180	18	1	珍珠布纹	1	0	0	0
		右侧板□	1660	180	18	1	珍珠布纹	1	0	0	0
		顶板□	304	179.5	18	1	珍珠布纹	1	0	0	0
		底板□	304	162	18	1	珍珠布纹	1	0	0	0
		薄背板	1556	316	9	1	珍珠布纹	0	0	0	0
		踢脚板-横向	304	80	18	1	珍珠布纹	0	0	0	0
	层板-三合一	304	149	18	4	珍珠布纹	1	0	0	0	
顶封板 (尺寸:340*180*80,	顶封板	339	80	18	1	珍珠布纹	0	0	0	0	
8-右窗台柜 (柜体尺寸:370*180*1730, 板件数:12)	顶封板 (尺寸:340*180*70,	左侧封板	70	180	18	1	珍珠布纹	1.5	0	0	0
		顶封板	322	70	18	1	珍珠布纹	0	0	0	0
	内嵌高柜 (尺寸:340*180*1660, 板件数:10)	左侧板□	1660	180	18	1	珍珠布纹	1	0	0	0
		右侧板□	1660	180	18	1	珍珠布纹	1	0	0	0
		顶板□	304	179.5	18	1	珍珠布纹	1	0	0	0
		底板□	304	170	18	1	珍珠布纹	1	0	0	0
		薄背板	1556	316	9	1	珍珠布纹	0	0	0	0
踢脚板-横向		304	80	18	1	珍珠布纹	0	0	0	0	
层板-三合一	304	149	18	4	珍珠布纹	1	0	0	0		
	左侧板	1760	400	18	1	珍珠布纹	1	1	0	1	
	右侧板	1760	400	18	1	珍珠布纹	1	1	0	1	
	厚背板-四边孔-朝后	1964	400	18	1	珍珠布纹	1	0	0	0	

9-左1榻榻米  
(柜体尺寸  
:2001\*1836.88  
\*419, 板件  
数:29)

榻榻米 (尺寸 :2000*1760*400, 板件 数:29)	厚背板	642.67	80	18	3	珍珠布纹	0	0	0	0
	上前拉条	1964	80	18	1	珍珠布纹	0	1	0	0
	左侧板-前后孔	1724	400	18	2	珍珠布纹	1	0	0	0
	盖板(左开)	2000	911	18	1	珍珠布纹	1	1	1	1
	盖板(左开)	2000	889	18	1	珍珠布纹	1	1	1	1
	抽底	592.7	1500	9	3	珍珠布纹	0	0	0	0
	抽面	648.7	317	18	2	珍珠布纹	1	1	1	1
	左抽帮□	1524	260	18	3	珍珠布纹	0	0	0	1
	后抽堵□	580.7	260	18	3	珍珠布纹	1	0	0	0
	右抽帮□	1524	260	18	3	珍珠布纹	0	0	0	1
	前抽堵□	580.7	260	18	3	珍珠布纹	1	0	0	0
	抽面	657.7	317	18	1	珍珠布纹	1	1	1	1



吊柜 (尺寸 :1800*280*1070, 板件 数:18)	左侧板□	1070	280	18	1	珍珠布纹	1	0	1	1
	右侧板□	1070	280	18	1	珍珠布纹	1	0	1	1
	顶板□	1764	279.5	18	1	珍珠布纹	1	0	0	0
	底板□	1764	279.5	18	1	珍珠布纹	1	0	0	0
	层板-三合一	1764	252	18	1	珍珠布纹	1	0	0	0
	层板-三合一	687.87	252	18	1	珍珠布纹	1	0	0	0
	层板-三合一	687.98	252	18	1	珍珠布纹	1	0	0	0
	灯带层板 (灯槽在	352.16	252	18	2	珍珠布纹	1	0	0	0
	后拉条	1764	100	18	2	珍珠布纹	0	0	0	0
	厚背板-四边孔-朝后	1774	1044	9	1	珍珠布纹	0	0	0	0
中侧板	766.77	252	18	2	珍珠布纹	1	0	0	0	

下柜2 (尺寸 :1520*500*750, 板件数:28)	顶板□○	1550.5	500	18	1	珍珠布纹	1	0	1	1
	左侧板	186	500	18	1	珍珠布纹	1	0	0	0
	右侧板□	732	500	18	1	珍珠布纹	1	0	0	0
	层板-三合一	1484	480	18	1	珍珠布纹	1	0	0	0
	中侧板	160	450	18	2	珍珠布纹	1	0	0	0
	厚背板	160	482.67	18	1	珍珠布纹	0	0	0	0
	薄背板	172	494.67	9	2	珍珠布纹	0	0	0	0
	薄背板	560	1548	9	1	珍珠布纹	0	0	0	0
	抽底	432.67	426	9	3	珍珠布纹	0	0	0	0
	抽面	488.67	185	18	2	珍珠布纹	1	1	1	1
	左抽帮□	450	100	18	3	珍珠布纹	0	0	0	1
	后抽堵□	420.67	100	18	3	珍珠布纹	1	0	0	0
	右抽帮□	450	100	18	3	珍珠布纹	0	0	0	1
	前抽堵□	420.67	100	18	3	珍珠布纹	1	0	0	0
抽面	497.67	185	18	1	珍珠布纹	1	1	1	1	

10-左1书柜  
(柜体尺寸  
:3400\*513.88\*  
2870, 板件  
数:104)

下柜2 (尺寸:1760*500*750, 板件数:27)	顶板□	1820.5	500	18	1	珍珠布纹	1	0	1	1
	左侧板□	732	500	18	1	珍珠布纹	1	0	0	0
	右侧板□	186	500	18	1	珍珠布纹	1	0	0	0
	层板-三合一	1724	480	18	1	珍珠布纹	1	0	0	0
	薄背板	172	1736	9	1	珍珠布纹	0	0	0	0
	前封板	1724	554	18	1	珍珠布纹	1	0	0	1
	中侧板	1723	554	18	1	珍珠布纹	1	0	0	0
	中侧板	160	450	18	2	珍珠布纹	1	0	0	0
	抽底	512.67	426	9	3	珍珠布纹	0	0	0	0
	抽面	568.67	175	18	2	珍珠布纹	1	1	1	1
	左抽帮□	450	100	18	3	珍珠布纹	0	0	0	1
	后抽堵□	500.67	100	18	3	珍珠布纹	1	0	0	0
	右抽帮□	450	100	18	3	珍珠布纹	0	0	0	1
	前抽堵□	500.67	100	18	3	珍珠布纹	1	0	0	0
	抽面	577.67	175	18	1	珍珠布纹	1	1	1	1
下柜-外盖 (尺寸:1300*400*530, 板件数:9)	台面□	1301	400	18	1	珍珠布纹	1	0	1	1
	左侧板□	512	399.5	18	1	珍珠布纹	1	0	0	0
	右侧板□	512	399.5	18	1	珍珠布纹	1	0	0	0
	底板□	1264	389.5	18	1	珍珠布纹	1	0	0	0
	薄背板	1274	449	9	1	珍珠布纹	0	0	0	0
	纵向踢脚板	55	362	18	1	珍珠布纹	0	0	0	0
	前踢脚板	1264	55	18	1	珍珠布纹	0	0	0	0
	后踢脚板	1264	55	18	1	珍珠布纹	0	0	0	1
	中侧板	439	369	18	1	珍珠布纹	1	0	0	0
吊柜 (尺寸:1520*280*1070, 板件数:17)	左侧板□	1070	280	18	1	珍珠布纹	1	0	1	1
	右侧板□	1070	280	18	1	珍珠布纹	1	0	1	1
	顶板□	1484	279.5	18	1	珍珠布纹	1	0	0	0
	底板□	1484	279.5	18	1	珍珠布纹	1	0	0	0
	层板-三合一	1484	252	18	1	珍珠布纹	1	0	0	0
	灯带层板 (灯槽在	357.5	252	18	2	珍珠布纹	1	0	0	0
	层板-三合一	357.5	252	18	1	珍珠布纹	1	0	0	0
	层板-三合一	733	252	18	1	珍珠布纹	1	0	0	0
	后拉条	1484	100	18	2	珍珠布纹	0	0	0	0
	厚背板-四边孔-朝后	1494	1044	9	1	珍珠布纹	0	0	0	0
	中侧板	766.77	252	18	2	珍珠布纹	1	0	0	0
层板-三合一	1754	60	18	1	珍珠布纹	1	0	0	0	
装饰板右 (尺寸:18*430*535,	装饰板右□	535	430	18	1	珍珠布纹	1	0	0	0
左侧封板	100	351	18	1	珍珠布纹	1	0	0	0	





下柜-外盖  
(尺寸  
:1140\*350\*1000, 板件  
数:38)

台面■	1141	370	18	1	珍珠布纹	1	0	1	1
左侧板□	982	349.5	18	1	珍珠布纹	1	0	0	0
右侧板□	982	349.5	18	1	珍珠布纹	1	0	0	0
底板□	1104	339.5	18	1	珍珠布纹	1	0	0	0
薄背板	1114	894	9	1	珍珠布纹	0	0	0	0
中侧板	884	319	18	1	珍珠布纹	1	0	0	0
中侧板	160	319	18	1	珍珠布纹	1	0	0	0
层板-三合一	331	319	18	1	珍珠布纹	1	0	0	0
层板-三合一	755	319	18	1	珍珠布纹	1	0	0	0
层板-三合一	755	318	18	1	珍珠布纹	1	0	0	0
层板-三合一	331	318	18	1	珍珠布纹	1	0	0	0
免拉横板	331	79	18	1	珍珠布纹	1	1	0	0
背板-无孔	331	42	18	1	珍珠布纹	0	0	0	0
免拉横板	755	79	18	1	珍珠布纹	1	1	0	0
背板-无孔	755	42	18	1	珍珠布纹	0	0	0	0
抽底	281	276	9	1	珍珠布纹	0	0	0	0
左抽帮□	300	100	18	3	珍珠布纹	0	0	0	1
后抽堵□	269	100	18	1	珍珠布纹	1	0	0	0
右抽帮□	300	100	18	3	珍珠布纹	0	0	0	1
前抽堵□	269	100	18	1	珍珠布纹	1	0	0	0
抽底	329.81	276	9	1	珍珠布纹	0	0	0	0
后抽堵□	317.81	100	18	1	珍珠布纹	1	0	0	0
前抽堵□	317.81	100	18	1	珍珠布纹	1	0	0	0
抽底	307.19	276	9	1	珍珠布纹	0	0	0	0
后抽堵□	295.19	100	18	1	珍珠布纹	1	0	0	0
前抽堵□	295.19	100	18	1	珍珠布纹	1	0	0	0
纵向踢脚板	80	301	18	1	珍珠布纹	0	0	0	0
前踢脚板	1104	80	18	1	珍珠布纹	0	0	0	0
左侧板□	1450	350	18	1	珍珠布纹	1	0	0	0
右侧板□	1450	350	18	1	珍珠布纹	1	0	0	0
顶板□	1104	349.5	18	1	珍珠布纹	1	0	0	0
灯带层板 (灯槽在	1104	349	18	1	珍珠布纹	1	0	0	0
层板-三合一	755	318	18	1	珍珠布纹	1	0	0	0
层板-三合一	331	318	18	1	珍珠布纹	1	0	0	0
薄背板	512	1116	9	1	珍珠布纹	0	0	0	0
薄背板	926	1116	9	1	珍珠布纹	0	0	0	0
中侧板	914	319	18	1	珍珠布纹	1	0	0	0
台面■	921	550	18	1	珍珠布纹	1	0	1	1
左侧板□	1082	529.5	18	1	珍珠布纹	1	0	0	0

上柜 (尺寸  
:1140\*350\*1450, 板件  
数:12)

下柜-外盖





12-右置物柜  
(柜体尺寸:986\*570.19\*2329, 板件数:16)

(尺寸:920*530*1100, 板件数:8)	右侧板□	1082	529.5	18	1	珍珠布纹	1	0	0	0
	底板□	884	519.5	18	1	珍珠布纹	1	0	0	0
上柜 (尺寸:920*530*1220, 板件数:8)	薄背板	894	994	9	1	珍珠布纹	0	0	0	0
	踢脚板-横向	884	80	18	1	珍珠布纹	0	0	0	0
	左侧板□	1220	530	18	1	珍珠布纹	1	0	0	0
	右侧板□	1220	530	18	1	珍珠布纹	1	0	0	0
	顶板□	884	529.5	18	1	珍珠布纹	1	0	0	0
	薄背板	1214	896	9	1	珍珠布纹	0	0	0	0
	层板-三合一	884	499	18	2	珍珠布纹	1	0	0	0



内嵌高柜 (尺寸:550*280*2120, 板件数:8)	左侧板□	2120	280	18	1	珍珠布纹	1	1	0	0
	右侧板□	2120	280	18	1	珍珠布纹	1	0	0	0
	顶板□	514	280	18	1	珍珠布纹	1	0	0	0
	底板□	514	280	18	1	珍珠布纹	1	0	0	0
	踢脚板-横向	514	80	18	1	珍珠布纹	0	0	0	0
	薄背板	2016	526	9	1	珍珠布纹	0	0	0	0
	层板-三合一	514	250	18	1	珍珠布纹	1	0	0	0
下柜5 (尺寸:900*1100*500, 板件数:34)	切角圆弧a□ ○	900	1100	18	1	珍珠布纹	1	1	1	1
	中侧板	384	500	18	1	珍珠布纹	1	0	0	0
	左侧板□	482	550	18	1	珍珠布纹	1	0	0	0
	右侧板□	482	530	18	1	珍珠布纹	1	0	0	0
	右侧板	482	420	18	1	珍珠布纹	1	0	0	0
	底板□	834	530	18	1	珍珠布纹	1	0	0	0
	前踢脚板	834	80	18	1	珍珠布纹	0	0	0	0
	薄背板	844	394	9	1	珍珠布纹	0	0	0	0
	厚背板-四边孔-朝后□	482	441.7	18	1	珍珠布纹	0	0	0	1
	层板-三合一	450	430	18	1	珍珠布纹	1	0	0	0
	层板-三合一	450	395.13	18	1	珍珠布纹	1	0	0	0
	薄背板	396	462	9	1	珍珠布纹	0	0	0	0
	踢脚板-横向	450	80	18	1	珍珠布纹	0	0	0	0
	免拉横板	450	79	18	2	珍珠布纹	1	1	0	0
	背板-无孔	450	42	18	2	珍珠布纹	0	0	0	0
	免拉横板	378	79	18	1	珍珠布纹	1	1	0	0
	背板-无孔	378	42	18	1	珍珠布纹	0	0	0	0
	抽底	400	326	9	2	珍珠布纹	0	0	0	0
	抽面	175	465	18	1	肤感白	1.5	1.5	1.5	1.5
	左抽帮□	350	120	18	2	珍珠布纹	0	0	0	1
后抽堵□	388	120	18	2	珍珠布纹	1	0	0	0	
右抽帮□	350	120	18	2	珍珠布纹	0	0	0	1	
前抽堵□	388	120	18	2	珍珠布纹	1	0	0	0	

1-左2衣柜 (柜体尺寸:2860*1130*320, 板件数:102)	单双 (尺寸:550*280*600, 板件数:7)	左侧板□	600	280	18	1	珍珠布纹	1	1	0	0
		右侧板□	600	280	18	1	珍珠布纹	1	0	0	0
		顶板□	514	279.5	18	1	珍珠布纹	1	0	0	0
		底板□	514	280	18	1	珍珠布纹	1	0	0	0
		薄背板	576	526	9	1	珍珠布纹	0	0	0	0
		层板-三合一	514	249	18	1	珍珠布纹	1	0	0	0
	上柜 (尺寸:870*560*1620, 板件数:5)	左侧板□	1620	560	18	1	珍珠布纹	1	0	0	0
		右侧板□	1620	560	18	1	珍珠布纹	1	0	0	0
		顶板□	834	559.5	18	1	珍珠布纹	1	0	0	0
		薄背板	1614	846	9	1	珍珠布纹	0	0	0	0
		灯带层板 (灯槽在	834	529	18	1	珍珠布纹	1	0	0	0
	下柜1 (尺寸:1390*560*2120, 板件数:32)	左侧板□	2120	560	18	1	珍珠布纹	1	0	0	0
		右侧板□	2120	560	18	1	珍珠布纹	1	0	0	0
		顶板□	1354	559.5	18	1	珍珠布纹	1	0	0	0
		底板□	1354	549.5	18	1	珍珠布纹	1	0	0	0
		纵向踢脚板	80	511	18	2	珍珠布纹	0	0	0	0
		前踢脚板	1354	80	18	1	珍珠布纹	0	0	0	0
		中侧板■	2004	559	18	1	珍珠布纹	1	0	0	0
		薄背板	2016	908.67	9	1	珍珠布纹	0	0	0	0
		薄背板	2016	451.33	9	1	珍珠布纹	0	0	0	0
		顶板□	896.67	400	18	1	珍珠布纹	1	0	0	0
		左侧板	332	400	18	1	珍珠布纹	1	0	0	0
		右侧板	332	400	18	1	珍珠布纹	1	0	0	0
		背板-无孔	332	80	18	2	珍珠布纹	0	0	0	0
		抽底	650.7	326	9	2	珍珠布纹	0	0	0	0
		抽面	698.7	164	18	2	珍珠布纹	1	1	1	1
		左抽帮□	350	106	18	2	珍珠布纹	0	0	0	1
		后抽堵□	638.7	106	18	2	珍珠布纹	1	0	0	0
		右抽帮□	350	106	18	2	珍珠布纹	0	0	0	1
		前抽堵□	638.7	106	18	2	珍珠布纹	1	0	0	0
		层板-三合一	896.67	529	18	1	珍珠布纹	1	0	0	0
	层板-三合一	439.33	529	18	1	珍珠布纹	1	0	0	0	
顶柜 (尺寸:2260*560*600, 板件数:12)	左侧板□	600	560	18	1	珍珠布纹	1	0	1	1	
	右侧板□	600	560	18	1	珍珠布纹	1	0	1	1	
	顶板□	2224	549.5	18	1	珍珠布纹	1	0	0	0	
	底板□	2224	549.5	18	1	珍珠布纹	1	0	0	0	
	薄背板	2234	574	9	1	珍珠布纹	0	0	0	0	
	中侧板	564	529	18	2	珍珠布纹	1	0	0	0	
下单员		审核		制单日期		2023-08-07 19:17:47					

